

# Fort Detrick

## Preliminary Archives Search Report Findings for Use / Testing of 2,4,5-T Compounds

17 November 2010 RAB

Randal S. Curtis, P.E., Archival Research & Analysis



# Outline

- Archives Search Report (ASR)
- Detrick Historical Context and Documents
- Federal Government Records
- 2,4,5-T at Fort Detrick
  - 2,4,5-T General
  - World War II Research on “Plant Growth Inhibitors” or “LN” agents
  - 1944-1951 Field Trials at Camp Detrick
  - 1953 & 1968 Tests
  - Locations and Amounts
- Preliminary Nature of Findings



# ASR?

- Compiles historical research from various archives and records holding facilities and analyzes them for potential environmental hazards
  - Similar to the EPA's Preliminary Assessment (PA)



# Context of Detrick Establishment



- 1943 Chemical Warfare Service (CWS) established the Special Projects Division, the former offensive and defensive biological research and development (R&D) center.
- Camp Detrick was one of many research locations and one of several field test or proving locations for plant agents.



# Historical Documents

- Research and Development Installation
  - LOTS of reports detailing what was done
  - Formal reports distributed to various technical libraries
  - Interim or status reports
  - Lab notebooks
  - Other documents, maps, aerial photos
- Classified operations and activities



# Technical Libraries

- Detrick Technical Library no longer exists
- Report holdings remain in sister facilities



# Where are the other records?





# Federal Records Centers & Archives



# Record Repositories



- Air Force Historical Research Agency (USAFHRA)
- Chemical, Biological, Radiological, Nuclear Information Analysis Center (CBRNIAC)
- Defense Technical Information Center (DTIC)
- Fort Detrick
- National Archives I
- National Archives at College Park
- National Personnel Records Center Military Personnel Records (NPRC, MPR)
- National Agricultural Library - USDA
- U.S. Army Chemical Materials Agency
- U.S. Army Chemical School
- U.S. Army Center of Military History
- U.S. Army Corps of Engineers, Baltimore District
- U.S. Army Corps of Engineers, St. Louis District
- U.S. Army Environmental Center (AEC)
- U.S. Army Military History Institute (USAMHI)
- U.S. Army Public Health Command (Provisional)
- U.S. Army Research Laboratory Technical Library
- U.S. Army Soldier Biological Chemical Command (SBCCOM)
- Washington National Records Center



# 2,4,5-T General

- Military defoliant or herbicide Agent Orange (Agent LNX)  
50/50 mix of:
  - ▶ 2,4-Dichlorophenoxyacetic acid (2,4-D)
  - ▶ **2,4,5-Trichlorophenoxyacetic acid (2,4,5-T)**
- 2,4-D and 2,4,5-T sold commercially in late 1940s, 1950s and 1960s as weed killers
- By the late 1960s, it became known that the manufacture of 2,4,5-T was contaminated with a 2,3,7,8-tetrachlorodibenzodioxin (TCDD), a dioxin
- Use of 2,4,5-T halted in 1970 for food crops besides rice; EPA terminated all uses in 1985
- 2,4-D remains in use today as weed killer



# 2,4,5-T General (cont.)

- 2003 DOD responded a Congressional inquiry about use, storage and testing of herbicides leads to Department of Veterans Affairs web site "Agent Orange: Herbicide Tests and Storage in the U.S."
- Special Report No. 92, 105, 130, 153 and 156 Field Plot Experiments with Plant Growth Inhibitors from 1946 through 1951, a 1953 test and greenhouse tests in 1961 to 1963
- Lots of variants of 2,4,5-T tested



# WWII Research on “Plant Growth Inhibitors” or “LN” agents

- April 1944 – Plant Research Branch (Crops Division) given mission of developing chemical agents to reduce the value of crops (i.e. crops failure)
- Step 1 - Evaluate potential LN chemicals in lab and greenhouse (very small amounts)
  - ▶ Over a thousand screened
  - ▶ LN-8 (2,4-D) – became standard other LN chemicals compared to; becomes commercial product still in use
- Step 2 – Small Field Trials (at Fort Detrick)
- Step 3 – Larger Field Trials (at other Installations)




# 1944-1951 Crops Field Research at Detrick

Testing purpose:

- “a) ascertain the most effective agent for causing yield reductions for various crops*
- b) to ascertain the best methods of application*
- c) to determine the effect of stages of development on plant response”*




# 1944-1951 Crops Field Research at Detrick (cont)




- General Layout of Field Crops Trials - 31 March 1944
- Later year trials are similar in type of layout




# 1944-1951 Crops Field Research at Detrick (cont)



- Test plots small - typically 6 by 18 feet size
- Applied with handheld sprayers
- Drifting of spray limited with a movable shelter
- Results measured by crops produced or plant height



# 1953 Truck Mounted Spray Test



- 2,4,5-T applied to rows of soybeans and sweet potatoes in Area B by truck mounted sprayer along ~240 foot perpendicular path



# 1968 Test of Movement in Soil

- Two 20 by 20-foot test plots of Agent Orange applied to grasses / weeds on 21 May 1968
- Visual observations made two months later
- Residue samples taken six months and 1 year later to test persistency



# Historic Locations – Within Present Day Area A

- 1944-1951 tests conducted at “Fields A, C, D, E and F” plus 2 other grass locations



↑ Area A - Annotated Aerial Imagery Sept.-Oct. 1947 - Field C and D – Probable locations




# Historic Locations – Within Present Day Area B

- 1946-1947 tests conducted at “Field B” in Area B along with one grass test and 1953 & 1968 in Area B



↑ Area B - Annotated Aerial Imagery Sept.-Oct. 1947 – Field B  
Probable location in Area B



Area B south of grid - Aerial Imagery 10 June 1953 – Probable location of truck mounted spray test (2 possible sites)



# Identified Locations – Current Imagery

- Field C and D positively located
- Likely locations for Area B tests



# Total Estimated Amounts of 2,4,5-T compounds tested at Detrick

- Total estimate would be on the order of 7.63 Kilograms (Kg) or **about 17 pounds between 1944 and 1968**
- Comparison: USDA determined the average US farm use rate of 2,4,5-T in 1969 was 0.24 to 2 lbs per acres with an average of 0.48 lbs per acres (ex.: 100 acres farm would use 48 lbs in one year)



# “2,4,5-T Preliminary” Findings

- Findings through October 2010 are limited to documents identified to date
- Classified Material still under review
- Findings will be refined as more information located (*other reports, maps, aerial images, still pictures*)



# ASR Path Forward

- 2,4,5-T Preliminary Report
- Full ASR for other past activities
- Challenges
  - ▶ Classified and sensitive material
  - ▶ Documents spread out
  - ▶ Complexity of information



Paradigm Answer:  
Pick Two

***Reality is closer to  
Pick One***

